



Reference: EK, Nature Rev. Phys. 4, 452 (2022)

# A Tantalizing Hint of Cosmological Parity Violation in the Polarized Light of the CMB



*Does the Universe distinguish between left and right?*



Eiichiro Komatsu (Max Planck Institute for Astrophysics)  
*Quantum Universe Colloquium, DESY, May 6, 2025*

**MAX-PLANCK-INSTITUT**  
FÜR ASTROPHYSIK

# Overarching Theme

*Let's find new physics!*

- The current cosmological model ( $\Lambda$ CDM) **requires** new physics beyond the standard model of elementary particles and fields.
  - What is dark matter (CDM)?
  - What is dark energy ( $\Lambda$ )?

# Overarching Theme

**There are many ideas,** but how can we make progress?

- The current cosmological model ( $\Lambda$ CDM) **requires** new physics beyond the standard model of elementary particles and fields.
- What is dark matter (CDM)?  $\Rightarrow$  CDM, WDM, FDM, ...
- What is dark energy ( $\Lambda$ )?  $\Rightarrow$  Dynamical field, modified gravity, quantum gravity, ...

**New in cosmology!**

**Violation of parity symmetry** may hold the answer to these fundamental questions.



Explore content ▾

About the journal ▾

Publish with us ▾

Subscribe

[nature](#) > [nature reviews physics](#) > [review articles](#) > article

Available also at  
arXiv:2202.13919

Review Article | [Published: 18 May 2022](#)

# New physics from the polarized light of the cosmic microwave background

[Eiichiro Komatsu](#) 

[Nature Reviews Physics](#) **4**, 452–469 (2022) | [Cite this article](#)

## Key Words:

1. Cosmic Microwave Background (CMB)
2. Polarization
3. Parity Symmetry



# 1. Parity

# Probing Parity Symmetry

## Definition

- **Parity transformation = Inversion of all spatial coordinates**
  - $(x, y, z) \rightarrow (-x, -y, -z)$
- Parity symmetry in physics states:
  - *The laws of physics are invariant under inversion of all spatial coordinates.*
- Violation of parity symmetry = The laws of physics are **not** invariant under...

# But, who cares about coordinates?

The key is the coordinate *transformation*


- You may say, “*Coordinates are just a convenient mathematical tool. Physics should not depend on how we chart the world with coordinates.*”
  - Yes, that is absolutely correct.
- Coordinate **transformations** are different. The underlying physical principle does not depend on the choice of coordinates. However, “**how a physical system appears to change from one coordinate system to another**” often contains useful information.



# Continuous Coordinate Transformation - 1

## Spatial translation and homogeneity

- We do an experiment in Sendai, and repeat it in Munich. We find the same answer (to within the uncertainty).
- This is evidence for **invariance under spatial translation**. We shift spatial coordinates by a constant vector  $\mathbf{c}$ ,  $\mathbf{x} \rightarrow \mathbf{x} + \mathbf{c}$ , and the physics relevant to the experiment does not change.
- There is no special location in space  $\Rightarrow$  **homogeneity**.
- This even implies that the total momentum is conserved!
  - Noether's theorem




Emmy Noether

# Continuous Coordinate Transformation - 2

## Spatial rotation and isotropy

- We do an experiment. We repeat it a few times after rotating the experimental apparatus at different angles. We find the same answer (to within the uncertainty).
- This is evidence for **invariance under spatial rotation**. We rotate spatial coordinates by  $\mathbf{x} \rightarrow R\mathbf{x}$ , where  $R$  is a 3-dimensional rotation matrix, and the physics relevant to the experiment does not change.
  - There is no special direction in space  $\Rightarrow$  **isotropy**.
  - This even implies that the total angular momentum is conserved!
    - Noether's theorem



# Parity: Discrete Coordinate Transformation

- We ask, “*When we observe a certain phenomenon in nature, do we also observe its mirror image(\*) with equal probability?*”
- (\*) “Mirror image” is an ambiguous word. A parity transformation is  $(x, y, z) \rightarrow (-x, -y, -z)$ , whereas a “mirror image” often refers to, e.g.,  $(x, y, z) \rightarrow (-x, y, z)$ , where only one of  $(x, y, z)$  is flipped.







Do we also observe this with equal probability?



Note that this is not full parity transformation,  
as only one axis is flipped.



# Parity and Rotation

- Parity transformation ( $\mathbf{x} \rightarrow -\mathbf{x}$ ) and 3d rotation ( $\mathbf{x} \rightarrow R\mathbf{x}$ ) are different.
  - $R$  is a continuous transformation and the determinant of  $R$  is  $\det(R) = +1$ .
  - Parity is a discrete transformation and the **determinant is  $-1$** , as


$$\begin{pmatrix} x \\ y \\ z \end{pmatrix} \rightarrow \begin{pmatrix} -x \\ -y \\ -z \end{pmatrix} = \begin{pmatrix} -1 & 0 & 0 \\ 0 & -1 & 0 \\ 0 & 0 & -1 \end{pmatrix} \begin{pmatrix} x \\ y \\ z \end{pmatrix}$$



$$\begin{pmatrix} x \\ y \\ z \end{pmatrix} \rightarrow \begin{pmatrix} -x \\ -y \\ -z \end{pmatrix} = \begin{pmatrix} -1 & 0 & 0 \\ 0 & -1 & 0 \\ 0 & 0 & -1 \end{pmatrix} \begin{pmatrix} x \\ y \\ z \end{pmatrix}$$


## Parity = Mirror + 2d Rotation

- One may think of parity transformation as a mirror in one of the coordinates (e.g.,  $z \rightarrow -z$ ) and **2d** rotation by  $\pi$  in the others.
- Let's demonstrate it!






$$\begin{pmatrix} x \\ y \\ z \end{pmatrix} \rightarrow \begin{pmatrix} -x \\ -y \\ -z \end{pmatrix} = \begin{pmatrix} -1 & 0 & 0 \\ 0 & -1 & 0 \\ 0 & 0 & \boxed{-1} \end{pmatrix} \begin{pmatrix} x \\ y \\ z \end{pmatrix}$$



Left-handed system

$$\longleftrightarrow$$


$$z \rightarrow z' = -z$$



Right-handed system




$$\begin{pmatrix} x \\ y \\ z \end{pmatrix} \rightarrow \begin{pmatrix} -x \\ -y \\ -z \end{pmatrix} = \begin{pmatrix} \boxed{-1} & \boxed{0} & 0 \\ \boxed{0} & \boxed{-1} & 0 \\ 0 & 0 & \boxed{-1} \end{pmatrix} \begin{pmatrix} x \\ y \\ z \end{pmatrix}$$



$$R_2 = \begin{pmatrix} \cos \theta & \sin \theta \\ -\sin \theta & \cos \theta \end{pmatrix}$$

Left-handed system with  $\theta \stackrel{16}{=} \pi$

Rotation  
In x-y




Right-handed system



## 2. Pseudovector, Pseudoscalar

# Parity Transformation: Vector

E.g., momentum, electric field




- $\mathbf{p}$  is the same vector, written using two different basis vectors.
- Therefore,  $\mathbf{p}$ 's components are transformed as  $(p'_x, p'_y, p'_z) = (-p_x, -p_y, -p_z)$

# Parity Transformation: Pseudovector

E.g., angular momentum, magnetic field

- Orbital angular momentum,  $\mathbf{L} = \mathbf{r} \times \mathbf{p}$ , is a *pseudovector*. Its *components* do not change under parity transformation:  $(L'_x, L'_y, L'_z) = (L_x, L_y, L_z)$
- Both  $\mathbf{r} = (X, Y, Z)$  and  $\mathbf{p} = (p_x, p_y, p_z)$  are vectors whose components change sign. Thus, their products do not change, e.g.,

$$\begin{aligned} L'_x &= Y'p'_z - Z'p'_y \\ &= (-Y)(-p_z) - (-Z)(-p_y) \\ &= L_x \end{aligned}$$



# Parity Transformation: Pseudoscalar

## How to test parity symmetry?

- A dot product of a vector and a pseudovector is a **pseudoscalar**.
  - Like a scalar, a pseudoscalar is invariant under rotation.
  - But, a pseudoscalar changes sign under parity transformation.
- **Experimental test of parity symmetry**: Construct a pseudoscalar and see if the average value is zero. If not, the system violates parity symmetry!
  - *Example*: a dot product of particle A's momentum and particle B's angular momentum:  $\mathbf{p}_A \cdot \mathbf{L}_B$ . Measure this and average over many trials. Does the average vanish,  $\langle \mathbf{p}_A \cdot \mathbf{L}_B \rangle = 0$ ?

# 3. Discovery of Parity Violation in $\beta$ -decay (weak interaction)



# Experimental Test of Parity Conservation in Beta Decay\*

C. S. Wu, *Columbia University, New York, New York*

AND

E. AMBLER, R. W. HAYWARD, D. D. HOPPES, AND R. P. HUDSON,  
*National Bureau of Standards, Washington, D. C.*


(Received January 15, 1957)

**I**N a recent paper<sup>1</sup> on the question of parity in weak interactions, Lee and Yang critically surveyed the experimental information concerning this question and reached the conclusion that there is no existing evidence either to support or to refute parity conservation in weak interactions. They proposed a number of experiments on beta decays and hyperon and meson decays which would provide the necessary evidence for parity conservation or nonconservation. In beta decay, one could measure the angular distribution of the electrons coming from beta decays of polarized nuclei. If an asymmetry in the



Smithsonian Institution Archives



Chien-Shiung Wu



Chen-Ning Yang

Tsung-Dao Lee

# The Wu Experiment of $\beta$ -decay



- Electrons must be emitted with equal probability in all directions relative to  $\mathbf{J}$ , if parity symmetry is respected in  $\beta$ -decay.
- This was not observed:  $\langle \mathbf{p}_e \cdot \mathbf{J} \rangle \neq 0$ . **Parity symmetry is violated in  $\beta$ -decay!**

# Initial reaction

**Many physicists did not believe it initially.**




Bildarchiv der ETH-Bibliothek

- To Lee and Yang's theoretical paper on parity violation in  $\beta$ -decay:
  - Wolfgang Pauli said, *“Ich glaube aber nicht, daß der Herrgott ein schwacher Linkshänder ist”* (I do not believe that the Lord is a weak left-hander).
- To Wu's discovery paper:
  - Wolfgang Pauli said, *“Sehr aufregend. Wie sicher ist die Nachricht?”* (Very exciting. How sure is this news?)
- **This was shocking news. The weak interaction distinguishes between left and right!**
- In this talk we ask, *“Does the Universe distinguish between left and right?”*

# 4. Parity Violation in the Cosmic Microwave Background (CMB)



Credit: WMAP Science Team




## The sky in various wavelengths

Visible -> Near Infrared -> Far Infrared -> Submillimeter -> Microwave



# Where did the CMB we see today come from?



155

S07C04\_DM

00:19:22:14


From “HORIZON”



Credit: ESA



Planck




Temperature (smoothed)



Credit: ESA



Planck




Temperature (smoothed) + Polarisation



# Pseudoscalar: EB correlation

- The observed pattern of the CMB polarization can be decomposed into eigenstates of parity, called “E modes” and “B modes”.




- E and B modes are transformed differently under the parity transformation. Therefore, the product of the two, **the “EB correlation”, is a pseudoscalar.**
- The full-sky average of the EB correlation must vanish (to within the measurement uncertainty), if there is no parity violation!**




# Parity eigenstates: E and B modes

Concept defined in Fourier space



This map is dominated  
by E-mode polarization



$$\langle E_{\ell} E_{\ell'}^* \rangle = (2\pi)^2 \delta_D^{(2)}(\ell - \ell') C_{\ell}^{EE}$$

$$\langle B_{\ell} B_{\ell'}^* \rangle = (2\pi)^2 \delta_D^{(2)}(\ell - \ell') C_{\ell}^{BB}$$


$$\langle T_{\ell} E_{\ell'}^* \rangle = \langle T_{\ell'}^* E_{\ell} \rangle = (2\pi)^2 \delta_D^{(2)}(\ell - \ell') C_{\ell}^{TE}$$

These are scalars and  
insensitive to parity violation.




# Parity eigenstates: E and B modes

Concept defined in Fourier space



This map is dominated  
by E-mode polarization



$$\langle E_{\ell} E_{\ell'}^* \rangle = (2\pi)^2 \delta_D^{(2)}(\ell - \ell') C_{\ell}^{EE}$$

$$\langle B_{\ell} B_{\ell'}^* \rangle = (2\pi)^2 \delta_D^{(2)}(\ell - \ell')$$


$$\langle T_{\ell} E_{\ell'}^* \rangle = \langle T_{\ell}^* E_{\ell'} \rangle = (2\pi)^2 \delta_D^{(2)}(\ell - \ell') C_{\ell}^{TE}$$

The other combinations,  $\langle TB \rangle$  and  $\langle EB \rangle$ ,  
are pseudoscalars and  
sensitive to parity violation!



# Spherical Harmonics Decomposition

$$\Delta T(\hat{n}) = \sum_{\ell m} a_{\ell m} Y_{\ell}^m(\hat{n})$$






# CMB Power Spectra

## Progress over 30 years



- This is the typical figure seen in talks and lectures on the CMB.
- The temperature and the E- and B-mode polarization power spectra are well measured.
- **Parity violation appears in the TB and EB power spectra, not shown here.**





# This is the EB power spectrum (WMAP+Planck)

## Nearly full-sky data (92% of the sky)





- $\chi^2 = 125.5$  for DOF=72
- Unambiguous signal of something!



# This is the EB power spectrum (WMAP+Planck)

## Galactic plane removed (62% of the sky)




- $\chi^2 = 138.4$
- The signal exists regardless of the Galactic mask. This rules out the Galactic foreground.



# **5. Cosmic Birefringence: Rotation of the Plane of Linear Polarization**



# How does the EM wave of the CMB propagate?





The surface of “last scattering” by electrons  
(Scattering generates *polarization*!)

Credit: WMAP Science Team



# How does the EM wave of the CMB propagate?






# “Cosmic Birefringence”

If the plane of linear polarization of the CMB is rotated uniformly by  $\beta$ , it is the sign of parity violation!

Temperature (smoothed) + Polarisation





# E-B mixing by rotation of the plane of linear polarization


- Observed E- and B-mode polarization,  $E_l^\circ$  and  $B_l^\circ$ , are related to those before rotation as

$$E_\ell^\circ \pm iB_\ell^\circ = (E_\ell \pm iB_\ell)e^{\pm 2i\beta}$$

- which gives

$$E_\ell^\circ = E_\ell \cos(2\beta) - B_\ell \sin(2\beta)$$

$$B_\ell^\circ = E_\ell \sin(2\beta) + B_\ell \cos(2\beta)$$






# CMB Power Spectra

- Rotation of the plane of linear polarization **mixes** E and B modes.
- Therefore, the EB correlation will be given by the difference between the EE and BB correlations.
- Observed EE is much greater than BB. We expect EB to look like EE!

$$C_{\ell}^{EB,o} = \frac{\tan(4\beta)}{2} \left( C_{\ell}^{EE,o} - C_{\ell}^{BB,o} \right)$$







# Cosmic Birefringence fits well(?)

Nearly full-sky data (92% of the sky)

$$C_{\ell}^{EB,o} = \frac{\tan(4\beta)}{2} \left( C_{\ell}^{EE,o} - C_{\ell}^{BB,o} \right)$$






- $\beta = 0.288 \pm 0.032$  deg
- $\chi^2 = 66.1$  for DOF=71
- Good fit!  $9\sigma$  detection?



# Cosmic Birefringence fits well(?)

Galactic plane removed (62% of the sky)

$$C_{\ell}^{EB,o} = \frac{\tan(4\beta)}{2} \left( C_{\ell}^{EE,o} - C_{\ell}^{BB,o} \right)$$



- $\beta = 0.330 \pm 0.035$  deg
- $\chi^2 = 64.5$
- Signal is robust with respect to the Galactic mask.



# **The Biggest Problem: Miscalibration of detectors**



# Impact of miscalibration of polarization angles

## Cosmic or Instrumental?



- Is the plane of linear polarization rotated by the genuine cosmic birefringence effect, or simply because the polarization-sensitive directions of the detectors are rotated with respect to the sky coordinates (and we did not know it)?
- If the detectors are rotated by  $\alpha$ , it seems that we can measure only the **sum  $\alpha + \beta$** .



# The past measurements

The quoted uncertainties are all statistical only (68%CL)

- $\alpha + \beta = -6.0 \pm 4.0$  deg (Feng et al. 2006) first measurement
- $\alpha + \beta = -1.1 \pm 1.4$  deg (WMAP Collaboration, Komatsu et al. 2009; 2011)
- $\alpha + \beta = 0.55 \pm 0.82$  deg (QUaD Collaboration, Wu et al. 2009)
- ...
- $\alpha + \beta = 0.31 \pm 0.05$  deg (Planck Collaboration 2016)
- $\alpha + \beta = -0.61 \pm 0.22$  deg (POLARBEAR Collaboration 2020)
- $\alpha + \beta = 0.63 \pm 0.04$  deg (SPT Collaboration, Bianchini et al. 2020)
- $\alpha + \beta = 0.12 \pm 0.06$  deg (ACT Collaboration, Namikawa et al. 2020)
- $\alpha + \beta = 0.07 \pm 0.09$  deg (ACT Collaboration, Choi et al. 2020)

**Why not yet  
discovered?**



# The past measurements

Now including the estimated systematic errors on  $\alpha$


- $\beta = -6.0 \pm 4.0 \pm ??$  deg (Feng et al. 2006)
- $\beta = -1.1 \pm 1.4 \pm 1.5$  deg (WMAP Collaboration, Komatsu et al. 2009; 2011)
- $\beta = 0.55 \pm 0.82 \pm 0.5$  deg (QUaD Collaboration, Wu et al. 2009)
- ...
- $\beta = 0.31 \pm 0.05 \pm 0.28$  deg (Planck Collaboration 2016)
- $\beta = -0.61 \pm 0.22 \pm ??$  deg (POLARBEAR Collaboration 2020)
- $\beta = 0.63 \pm 0.04 \pm ??$  deg (SPT Collaboration, Bianchini et al. 2020)
- $\beta = 0.12 \pm 0.06 \pm ??$  deg (ACT Collaboration, Namikawa et al. 2020)
- $\beta = 0.07 \pm 0.09 \pm ??$  deg (ACT Collaboration, Choi et al. 2020)

**Uncertainty in the calibration of  $\alpha$  has been the major limitation**



**The Key Idea: The polarized Galactic foreground emission as a calibrator**





ESA's Planck

**Credit: ESA**

# Polarized dust emission within our Milky Way!


Emitted “right there” - it would  
not be affected by the cosmic  
birefringence.

Directions of the magnetic field inferred from polarization of the thermal dust emission in the Milky Way



# Miscalibration angles (WMAP and Planck)

Nearly full-sky data (92% of the sky)





- The angles are all over the place, and are well within the quoted calibration uncertainty of instruments.
- 1.5 deg for WMAP
- 1 deg for Planck
- They cancel!
- The power of adding independent datasets.



# Cosmic Birefringence fits well (WMAP+Planck)

Nearly full-sky data (92% of the sky)





- **Miscalibration angles** make only small contributions thanks to the cancellation.
- $\beta = 0.34 \pm 0.09 \text{ deg}$
- $\chi^2 = 65.3$



# Cosmic Birefringence fits well (WMAP+Planck)

Robust against the Galactic mask (62% of the sky)




- Miscalibration angles** make only small contributions thanks to the cancellation.
- $\beta = 0.37 \pm 0.14 \text{ deg}$
- $\chi^2 = 65.8$



# No frequency dependence is found

It is not due to Faraday rotation.



- Light traveling in a uniform magnetic field also experiences a rotation of the plane of linear polarization, called “**Faraday rotation**”. However, the rotation angle depends on the frequency, as  $\beta(\nu) \propto \nu^{-2}$ .
- No evidence for frequency dependence is found!
  - For  $\beta \propto \nu^n$ ,  $n = -0.20^{+0.41}_{-0.39}$  (68% CL)
  - **Faraday rotation ( $n = -2$ ) is disfavoured.**



# Is $\beta$ caused by non-cosmological effects?


*We need to measure it in independent experiments.*

- The **known** instrumental effects of the WMAP and Planck missions are shown to have negligible effects on  $\beta$ .
  - However, we can never rule out **unknown** instrumental effects... We need to measure  $\beta$  in independent experiments.
- The polarized Galactic foreground emission was used to calibrate the instrumental polarization angles,  $\alpha$ . The intrinsic EB correlations of the Galactic foreground emission (**polarized dust and synchrotron emission**) could affect the results.
- We need to measure  $\beta$  without relying on the foreground by calibrating  $\alpha$  well, e.g., Murata et al. (Simons Observatory), arXiv:2309.02035; Murphy et al. (ACT), arXiv:2403.00763; Cornelison et al. (BICEP3), arXiv:2410.12089; Ritacco et al. (COSMOCa), arXiv:2405.12135.




# Atacama Cosmology Telescope (DR6)

*We need to measure it in independent experiments -> here it is!*




**$0.2 \pm 0.08$  deg (incl. an estimate for the systematics)**












Posterior Probability Density





# What are we worried about now?

## “Unknown Unknowns”

- **WMAP+Planck**

- The biggest worry: Unknown systematics in the Planck HFI at 353 GHz, since our results depend crucially on it.

- **ACT**

- The biggest worry: The model for the optics of the ACT telescope and instruments may not capture all the systematics.

- The way forward: We will need another independent measurement, using an **artificial polarization source**. This will remove the dependence on any models.

- BICEP3 (Cornelison et al., arXiv:2410.12089) and the Simons Observatory (Murata et al., arXiv:2309.02035) are doing exactly that. The final word is coming soon!



# Implications


**DM = Dark Matter; DE = Dark Energy**

This term exists for a pion.  
What if DM/DE is “pion-like particle”

$$I = \int d^4x \sqrt{-g} \left[ -\frac{1}{2} (\partial\chi)^2 - V(\chi) - \frac{1}{4} F^2 - \frac{\alpha}{4f} \chi F \tilde{F} \right]$$

- This **rotates** the plane of linear polarization of light by

$$\begin{aligned} \beta &= - \int_{\tau_{\text{em}}}^{\tau_{\text{obs}}} d\tau (\omega_+ - \omega_-) \\ &= \frac{\alpha}{2f} [\chi(\tau_{\text{obs}}) - \chi(\tau_{\text{em}})] \end{aligned}$$





# Implications

**DM = Dark Matter; DE = Dark Energy**

This term exists for a pion.  
What if DM/DE is “pion-like particle”

$$I = \int d^4x \sqrt{-g} \left[ -\frac{1}{2} (\partial\chi)^2 - V(\chi) - \frac{1}{4} F^2 - \frac{\alpha}{4f} \chi F \tilde{F} \right]$$

- The measured angle,  $\beta$ , implies that the field has evolved by

$$\Delta\chi = \chi(\tau_{\text{obs}}) - \chi(\tau_{\text{em}}) \simeq \frac{10^{-2}}{\alpha} f$$

Axionlike particle?


- If it is due to DE: this measurement rules out DE being a cosmological constant.
- If it is due to DM: at least a fraction of DM violates parity symmetry.



©Higgstan



So, space may be filled with axionlike particles...





# Summary

*Let's find new physics!*

- Violation of parity symmetry is a new topic in cosmology.
- It may hold the answers to fundamental questions, such as
  - *What is Dark Matter?*
  - *What is Dark Energy?*
- Since parity is violated in the weak interaction, it seems natural to expect that **parity is also violated in the Dark Sector.**
  - **4 $\sigma$  hint of Cosmic Birefringence:** Space may be filled with parity-violating DM and DE fields?
- **What else should we be looking? New and exciting research topics.**

